

3

Tips for patients that tend to get obstipation:

- Doctors recommend to start with half of the dosage within the first week.
- If obstipation occurs:
Immediately reduce dose and support the gut mobility with increased water intake as well as with other substances.
- Intake of medication within a time difference of 2 hours.

Recommended application:

Take one level serving spoon or 3 capsules with a glass of water (100 ml) 2-3 times a day.



Panaceo MED THERAPY-PRO Gold Standard Studies confirm:

- **Significantly improves the tolerance** of chemotherapy
- **Reduces** therapy cancellations
- **Reduces** side effects
- **Improves** the success of the therapy
- **Strengthens** liver & gut

Our quality criteria

- Highest Raw Material Quality
- Certified Medical Device
- 100 % Natural
- 20 Years of Research
- Independent Gold Standard Studies
- Measurably Higher Effectiveness
- Patented PMA Technology
- Made in Austria


ECOBASE GmbH
Lieserhoferstraße 7
9851 Lieserbrücke
T: 04762 36877
E: dullnig@eco-base.eu

allremedy
Food Supplements
www.allremedy.com

● Your **active** companion!



MED THERAPY PRO



Improves the tolerance of chemotherapy

„Medical product from austria“

● Your **active** companion!

101305-01

MED THERAPY PRO



Dear **Patients,**

the treatment of cancer with chemotherapy aims to kill tumor cells while sparing as much healthy cells as possible. A large number of different pharmaceuticals are available today for this purpose.

It is important that the therapy dose & number of chemotherapy cycles calculated by doctors can be tolerated and consumed.

Since many of these treatments are also associated with chemotherapy-induced side effects in the **digestive organs**, **supportive therapies are usually recommended** by physicians - such as **MED THERAPY-PRO** (PMA zeolite).

In a clinical study it could have been proven that MED THERAPY-PRO improves the tolerability of chemotherapy.

Increases the tolerability of chemotherapy

The following results were obtained with MED THERAPY-PRO¹:


- Men and women had **fewer therapy cancellations**
- Men and women had **better blood values**
- In particular, men had fewer chemotherapy-induced peripheral neuropathies (a side effect that is often associated with tingling and numbness in the limbs)

1 Vitale, M. G. et al. (2020)
2 Vogelsang, H. et al. (in a preparation 2021)
3 Lamprecht, M. et al. (2015)
4 Petkov, V. et al. (2021)
5 Panaceo, et al. (unpublished 2014)
6 Pavelić Kraljević, S. et al. (2017)

* Due to the binding of ammonium, lead, cadmium, arsenic, chromium and nickel

The **tolerability** of chemotherapy cycles clearly improved due to **MED THERAPY-PRO** treatment.

21 % less therapy cancellations with MED THERAPY-PRO compared to placebo intake; better adherence to the therapy plan in the **MED THERAPY-PRO** group.



Other studies confirm that MED THERAPY-PRO strengthens the gut and relieves the liver. It

Strengthens gut & liver

- **reduces** diarrhea and flatulence²
- **regenerates** the intestinal wall³, reduces inflammatory processes within the gut and improves the microbiome⁴
- **brings** liver values back into balance (NIS)^{5*}
- **binds** ammonium and harmful substances* within the gut⁶

Please talk to your doctor or pharmacist beforehand to find out whether **MED THERAPY-PRO** is a suitable solution for you!

